



Gujarat Plyboard

INDUSTRIES

Vacuum Membrane Press



ISO 9001-2008 Company



Application & Salient Features

- Used for applying a uniform lamination of PVC , decorative papers and veneer till 4 mm on top surface and borders on flat & designed work piece having smooth shape.
- Vacuum abnormality wrapping technology
- Various model available having single table or double table construction.
- Lamination of pvc foil on one side of MDF, particle board & solid wood.
- Short pressing cycles
- High grade vacuum pump is efficient , stable and long life

Technical Specifications

Particulars	Details
No of working tables	2 No.
Work table size(L x w)	2286 mm x 1067 mm
Maximum height of work piece	50 mm
Total power	15 HP
Approx.overall machine dimension (L x W x H)	4020 mm x 3000 mm x 1020 mm
Approx.net weight	1500 Kg.
Heating Range	Upto 130 Degree
Compressor	Double Piston 3 HP



ISO 9001-2008 Company



Production Samples:



Showroom:

Shree Gomati Enterprise - Opp. Silicon Nissan Motors,
Nr Reliance Petrol pump, Udhana-Navsari Main road,
Surat - 394210, Gujarat, India

Head Office:

B-18/4-5, Sachin Udhyog Nagar, Road No.14,
Hojiwala Estate, Po – Sachin, Surat- 394230,
Gujarat, India

Contact:

Mr. Shanti Keshrani 98251-33612
Mr. Suresh Keshrani 98250-87603

Mkt. By



Shree Gomati Enterprise

E-mail : shreegomati@swarnimdoor.com



ISO 9001-2008 Company

E-mail: info@swarnimdoor.com | info@gujaratplyboard.com
Visit: www.gujaratplyboard.com | www.gujaratplyboard.in

